題號: 210

國立臺灣大學 112 學年度碩士班招生考試試題

科目:材料熱力學

題號: 210 共 5 頁之第

頁

節次: 7

## ※ 注意:請用 2B 鉛筆作答於答案卡,並先詳閱答案卡上之「畫記說明」。

There are two parts in the exam sheet. The first part is True/False questions, and the second part contains multiple choice questions. Short explanation will be given in each part.

You may find the following constants and conversion factors useful:

Physical Constants

Avogadro's number

 $N_0 = 6.0221415 \times 10^{23}$ 

Rest mass of the electron

 $m_{\rm e} = 9.1093826 \times 10^{-31} \, ({\rm kg})$ 

Elementary charge

 $e = 1.60217653 \,\mathrm{C}$ 

Plank's constant Gas constant

H = 6.6260693 (J s)

R = 8.314313 (J/mol K)

R = 1.98727 (cal/mol K)

R = 82.0589 (cc atm/mol K)

R = 0.0820589 (1 atm/mol K)

Boltzmann's constant  $(k = R/N_0)$ 

 $k = 1.3806505 \times 10^{-23} (J/K)$ 

Conversion Factors

Length

 $1 \text{ m} = 100 \text{ cm} = 1000 \text{ m/m} = 10^6 \mu\text{m} = 10^9 \text{ nm}$ 

Volume

 $1 l = 1000 ml = 1000 cm^3 = 10^{-3} m^3$ 

Temperature

 $T^{\circ}C = T K - 273.15 = (5/9) (T^{\circ}F - 32)$ 

Pressure

1 atm = 101325 Pa = 0.101325 MPa = 0.06805 psi

Energy

1 J = 1 N m = 4.184 cal = 9.8699 cc atm = 0.0098699 1 atm


Hint: A useful method for converting energy units is to multiply by the ratio of two R-values that contain the units to be converted.

Source: From Lide, D.R., Ed., CRC Handbook of Chemistry and Physics, 71st ed., Boca Raton, FL, 1991.

## I. True/False questions 30% (3 points for each)

Short explanation: True: Select A; False: Select B

1. In the figure shown below, A, B, C, and D are four isothermal plots of molar Gibbs free energy of mixing of a binary phase diagram on the left. Out of these four temperatures, two are greater than 700K.




國立臺灣大學 112 學年度碩士班招生考試試題

題號: 210 科目:材料熱力學

2. At 1 atm, 0K, we set enthalpies (H) of all elements to 0.

- 3. Kelvin-Planck statement describes work-heat relationship of an engine.
- 4. Entropy, volume, pressure, length, Gibbs free energy, and enthalpy all have absolute values.
- 5. For one mole of ideal gas undergoing an isothermal process, the work done by the system equals  $RT \ln \frac{V_1}{V_0}$ , where  $V_1$  and  $V_0$  stand for final and initial volumes, respectively.
- 6. During a reversible process, the entropy change of a system is not necessarily 0.
- 7. For gas decomposition  $2A \rightarrow B + 3C$ ,  $\Delta G^0 = 87030 25.8T \ln T 31.7T$  (J). The equilibrium constant for the reaction at 400 °C is around 4750.
- 8. Three allotropes,  $\alpha$ ,  $\beta$ ,  $\gamma$  of a certain element are in equilibrium at its triple point (shown below). It is known that  $V_m^{\gamma} > V_m^{\alpha}$  and  $S_m^{\gamma} < S_m^{\beta}$ . It is correct to say that region I is  $\gamma$ ; region II is  $\alpha$ ; region III is  $\beta$ .



9. The isotopic composition of lead (atomic percent) is as follows:

| Atomic Weight | Atomic Percent |  |  |
|---------------|----------------|--|--|
| 204           | 1.5            |  |  |
| 206           | 23.6           |  |  |
| 207           | 22.6           |  |  |
| 208           | 52.3           |  |  |

The molar configurational entropy of Pb is calculated to be 7.98 J/K.

10. Richard's and Trouton's rules demonstrate that face-centered cubic metals have greater entropy changes than body-centered cubic metals, and in general, the entropy changes of melting are greater than those of boiling.

國立臺灣大學 112 學年度碩士班招生考試試題

題號: 210 科目:材料熱力學

題號: 210 共 5 頁之第 3 頁

II. Multiple choices 70% (attention: There may be more than one correct answer) Short explanation: There will be 7 questions, each of which is 10 points. One error will cost you 5 points, until there is no more point in that particular question.

## 1. Which statement is correct?

- (A) When mixing ideal gases in an isolated system, enthalpy of the system increases, while Gibbs free energy decreases.
- (B) For a binary, regular solution, the change in entropy is equal to the case when the solution is ideal.
- (C) If the solution is formed exothermically, then activity coefficient ( $\gamma$ ) < 1
- (D) At constant temperature and pressure, ordering/clustering in a binary solution system can be implied from the value  $\alpha$ . When  $\alpha$  is far larger than 0, then clustering tends to happen.
- (E) In a binary solution containing A and B, when solute A obeys Henry's law, the solvent B obeys Raoult's law.
- 2. About the application of molar cv and cp,

$$(A) dH = c_P dT + (1 - \alpha T) V dP$$

(B) 
$$c_P = c_V + \frac{TV\alpha^2}{\beta}$$

(C) For one mole of ideal gases,  $c_P - c_V = \frac{1}{R}$ 

(D) 
$$c_P - c_V = \left(\frac{\partial V}{\partial T}\right)_P \left[P + \left(\frac{\partial U}{\partial V}\right)_T\right]$$

(E) Taking the following table for references, for body-centered cubic iron (molar volume =  $7.1 \text{ cm}^3$ ,  $\alpha = 3 \times 10^{-5} \text{ K}^{-1}$ ), the enthalpy change by increasing the pressure from 1 atm to 100 atm at 298K almost equals that of increasing the temperature from 298K to 300K at constant 1 atm.

| Substance                      | a      | b×10 <sup>3</sup> | c×10 <sup>-5</sup> | Range, K                  |
|--------------------------------|--------|-------------------|--------------------|---------------------------|
| Cr <sub>2</sub> O <sub>3</sub> | 119.37 | 9.30              | -15.65             | 2981800                   |
| Cu <sub>(3)</sub>              | 22.64  | 6.28              |                    | 298-1356(T <sub>m</sub> ) |
| Fe <sub>(α/δ)</sub>            | 37.12  | 6.17              |                    | 298-1183/1664-1809        |
| Fe <sub>(y)</sub>              | 24.47  | 8.45              | _                  | 1187-1664                 |
| Fe <sub>(I)</sub>              | 41.8   |                   | _                  | 18091873                  |

- 3. A rigid and adiabatic container is divided into two compartments of the same volume by a partition.
  - (A)One compartment contains 2 moles of ideal gas A at 2 atm, and the other compartment contains 1 mole of ideal gas B at 1 atm. The increase in entropy

題號: 210 國立臺灣大學 112 學年度碩士班招生考試試題

科目:材料熱力學

題號: 210 節次: 7 共 5 頁之第 4

when the partition is removed is about 17.3 J/K.

- (B) One compartment contains 1 mole of ideal gas A at 1 atm, and the other compartment contains 1 mole of ideal gas B at 1 atm. The increase in entropy when the partition is removed is about 11.6 J/K.
- (C) One compartment contains 2 moles of ideal gas A at 2 atm, and the other compartment contains 1 mole of the same ideal gas A at 1 atm. The increase in entropy when the partition is removed is about 1.41 J/K.
- (D) One compartment contains 1 mole of ideal gas A at 1 atm, and the other compartment is vacuum. The increase in entropy when the partition is removed is 5.76 J/K.
- (E) One compartment contains 1 mole of ideal gas A at 1 atm, and the other compartment contains 1 mole of the same ideal gas A at 1 atm. The increase in entropy when the partition is removed is 0.
- 4. 100 moles of hydrogen gas at 298 K are isothermally and reversibly compressed from 30 to 10 liters. While the van der Waals constants for hydrogen are a = 0.2461liters<sup>2</sup>·atm·mole<sup>-2</sup> and b = 0.02668 liters/mole, and in the range of pressure 0 - 1000atm, the virial equation for hydrogen is expressed as  $PV = RT (1 + 6.4 \times 10^{-4} P)$ .
  - (A) In van der Waals equation, b is used to correct the interactive forces between molecules.
  - (B) By virial equation, the work (absolute value) that must be done on the system to effect the required change in volume is 275 (kJ).
  - (C) By virial equation, when the volume equals 30 liters, the pressure is 86 atm.
  - (D) Assuming that hydrogen behaves like an ideal gas, the work (absolute value) that must be done on the system to effect the required change in volume is 272 (kJ).
  - (E) The ideal gas assumption gives acceptable prediction of the performed work, which is less than 5% deviated from the value calculated from the virial equation or the van der Waals equation.
- 5. Under constant pressure, when  $T \rightarrow 0K$ , which holds?
  - (A)  $\Delta H \rightarrow \Delta G$
  - (B)  $\frac{\partial \Delta S}{\partial T} \rightarrow 0$
  - (C)  $\Delta S \rightarrow 0$
  - (D)  $\Delta U \rightarrow 0$
  - (E)  $\Delta c_P \rightarrow 0$

國立臺灣大學 112 學年度碩士班招生考試試題 題號: 210

科目:材料熱力學

題號: 210 節次: 7 共 5 頁之第 5

6. For a miscibility gap in a regular binary solution,

- (A) At the critical temperature (Tc) of the miscibility gap,  $T_C = \frac{2\alpha}{R}$
- (B) The phase transformation mechanisms could be different within the region of miscibility gap.
- (C) When plotting the change of Gibbs free energy versus composition, the third order derivative may not be zero at the critical temperature and at the composition where immiscibility becomes imminent.
- (D) Spinodal decomposition is a congruent transformation.
- (E) If  $T_c = 1000K$ , the Gibbs free energy of mixing at X = 0.5 and T = 1100K is -1282J
- 7. Which is an intensive property?
  - (A) Molar volume (B) Gibbs free energy (C) Specific heat (D) Pressure (E) Constant volume heat capacity

試題隨卷繳回