國立中山大學100學年度碩士班招生考試試題

科目:機率【雷機系碩士班己組】

- 1. (10%) A pair of fair dice is rolled six times. What is the probability that "nine" will not show at all?
- 2. (10%) Let X be a random variable with exponential distribution, derive and find the mean and variance of 6X.
- 3. (10%) Let X be a normal random variable with mean 10 and variance 9. How can we design a random variable Y such that Y is normal distributed with mean 100 and standard deviation 2.
- 4. (10%) Let X and Y be independent uniform random variables with ranges [0, 2] and [0, 6] respectively. Derive and plot the probability density function of the random variable Z = X + Y.
- 5. (10%) Let X and Y be independent normal random variables with mean 0 and variance 6. Derive and plot the probability density functions of the random variables $Z = \sqrt{X^2 + Y^2}$ and W = Y/X
- 6. (10%) Given a real-valued random variable X with finite second moment. Identify all the true statements:
 - (a) $E\{X^2\} \le (E\{X\})^2$;
 - (b) $E\{cX\} \neq cE\{X\}$, where c is a constant value;
 - (c) $E\{\log(1+X)\} \le \log(1+E\{X\})$.
- 7. (10%) Given a condition so that the fact $E\{\frac{1}{X}\} = \frac{1}{E\{X\}}$ is true.
- 8. (10%) Let X and Y be independent normal random variables with zero mean and unit variance. Find the value of $E\{X^2Y + XY^2\}$, in which $E\{\cdot\}$ takes the expectation with respect to X and Y.
- 9. (10%) Given a real-valued random variable X with finite second moment $E\{X^2\}$. Show the conditions on c so that the following statement is true:

$$E\{X^2\} \le cE\{X^2\}$$
 if and only if $E\{X^2\} = 0$.

10. (10%) Let Y be a binomial distribution with parameters n and p; i.e., the probability distribution function of Y is given by $P(Y=y)=\binom{n}{y}p^y(1-p)^{n-y},\ y=0,1,2,\cdots,n$. Show the probability generating function of Y.