

※ 考生請注意：本試題不可使用計算機。 請於答案卷(卡)作答，於本試題紙上作答者，不予計分。

1. 10% (a) Find the eigenvalues of

$$C = \begin{bmatrix} 0 & 0 & 0 & 1 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix} \quad \text{and } C^2 = \begin{bmatrix} 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$$

- 10% (b) Find the determinants of  $C + I$  and  $C + 2I$

$$\text{Where } I = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

2. 10% (a) Find the Fourier sine series expansion in  $[0, \pi]$  of the function  $h(x)$

defined in  $[0, \pi]$  by  $h(x) = -1$  in  $[0, \pi/2]$  and  $h(x) = 1$  in  $[\pi/2, \pi]$ .

Sketch the function represented by the sine series in the symmetric interval  $[-\pi, \pi]$ .

- 10% (b) Find the Fourier cosine series expansion in  $[0, \pi]$  of the function  $h(x)$  defined in part (a). Sketch the function represented by the cosine series in the symmetric interval  $[-\pi, \pi]$ .

3. 10% Determine the constant  $A$  so that the following function is analytic everywhere.

$$f(z) = \begin{cases} A \frac{\cosh z - 1}{z^2} & \text{if } z \neq 0 \\ 1 & \text{if } z = 0 \end{cases}$$

4. 10% 解下列微分方程式：

$$(2xy + 3y)dx + (4y^3 + x^2 + 3x + 4)dy = 0, y(0) = 1$$

5. 16% 解方程式：

$$y'' + 9y = x^2 \sin 3x$$

6. 24% 矩陣  $A = \begin{bmatrix} 5 & -4 & 2 \\ 3 & -2 & 2 \\ 2 & -2 & 3 \end{bmatrix}$  求矩陣  $A$  的特徵值 (5%)、特徵向量 (9%)

及  $e^{At}$  (10%)