

國立臺北大學 108 學年度碩士班一般入學考試試題

系(所)組別：經濟學系
科 目：統計學

第 1 頁 共 7 頁
可 不可使用計算機

I. (50 %) Fill in the following blanks.

1. A couple has the same chance to give birth to a boy and a girl, and decides to have 3 children. If none of the 3 is a girl, they will try again; and if they still don't get a girl, they will try once more. If the random variable X denotes the number of children the couple will have following this scheme, then what is the expected value of X ? _____ (1)
2. Let X be a random variable with density function $f(x) = 1 - |x|$, $|x| < 1$. Then, the variance of X , $Var(X)$, equals _____ (2)
3. Let the joint probability density function of the continuous random variables X and Y be $f(x, y) = \frac{6}{5}(x^2 + 2xy)$, $0 < x, y < 1$. Then, $P(X \leq Y) =$ _____ (3)
4. Let X_1 and X_2 be two independent random variables with identical probability density function $f(x_i) = e^{-x_i}$, $x_i > 0$. Then, the probability density function of $W = \min\{X_1, X_2\}$, is _____ (4)
5. If X_1, X_2, \dots, X_n are normal random variables with variance σ^2 and covariance between any pair of these random variables is $\rho\sigma^2$, then the variance of $\frac{1}{n}(X_1 + X_2 + \dots + X_n)$ equals _____ (5)
6. Suppose X and Y are random variables with $E(Y|X=x) = -X + 3$ and $E(X|Y=y) = -\frac{1}{4}Y + 5$. Then, the correlation coefficient between X and Y , $Corr(X, Y)$, equals _____ (6)
7. Let $Y = X_1 + X_2 + \dots + X_{15}$ be the sum of a random sample of size 15 from the distribution whose density function is $f(x) = 1.5x^2$, $-1 < x < 1$. What is the approximate value of $P(-0.3 \leq Y \leq 1.5)$ when one uses the central limit theorem? _____ (7)
8. Let X_1 and X_2 be a random sample of size 2 from the standard normal distribution, then the 75th percentile of the statistic $W = \frac{X_1}{\sqrt{X_2^2}}$ equals _____ (8)
9. Two random samples are drawn independently from a normal distribution $N(\mu, \sigma^2)$. The first sample has n_1 observations, and its sample mean is $\bar{X}_1 = \frac{1}{n_1} \sum_{i=1}^{n_1} X_{1i}$; the second sample has n_2 observations, and its sample mean is $\bar{X}_2 = \frac{1}{n_2} \sum_{i=1}^{n_2} X_{2i}$. One estimator of μ is proposed: $\hat{\mu} = \frac{(n_1\bar{X}_1 + n_2\bar{X}_2)}{(n_1 + n_2)}$. Calculate $Var(\hat{\mu}) =$ _____ (9) and $p\lim(\hat{\mu}) =$ _____ (10)

試題隨卷繳交

接背面

國立臺北大學 108 學年度碩士班一般入學考試試題

系(所)組別：經濟學系
科目：統計學

第 2 頁 共 7 頁
可 不可使用計算機

II. 填充題 (30%。每格 5 分，共 6 格)

請在答案卷標示大題「II」及其小題號 (1)、(2)、... 至 (6)，並填入對應答案，不需另外標示 Question 1、2 等題號。答案可得明確數值者，請寫下該數值並四捨五入進位至小數第四位。

Question 1

The Okun's Law describes the negative relationship between output gap (y_t) and the cyclical rate of unemployment (u_t^c) as $y_t = \beta_1 + \beta_2 u_t^c + \varepsilon_t$, where ε_t is white noise. Using data from Taiwan over the period 1978–2017 (sample size $T = 40$), someone estimated this equation by OLS and got the estimated Okun's coefficient $\hat{\beta}_2 = -2.9516$ and $R^2 = 0.5762$. If the standard deviation of output gap is 0.0195, then the regression sum of squared residuals (SSR) = (1), and the correlation coefficient between y_t and u_t^c = (2).

Question 2

A gender-wage regression output shows:

$\ln \widehat{wage}_i = 1.6573 \text{male}_i + 1.1936 \text{female}_i + 0.0364 \text{exper}_i - 0.0321 \text{male}_i \times \text{exper}_i$, where the logarithmic wage is significantly explained by two gender dummy variables, *male* and *female*, year of working experience (*exper*), and an interaction term: *male* \times *exper*. Based on the estimation result, we can conclude that, first, given zero year of working experience, male workers will be paid by (3) % higher than female workers. Second, the marginal return of an additional year of working experience of male workers is (4) % lower than that of female workers.

Question 3

A multiple regression model $y_i = \beta_1 + \beta_2 x_{2,i} + \beta_3 x_{3,i} + \varepsilon_i$ (ε_i is white noise and $i = 1, 2, \dots, 20$) is estimated by least squares, and the R-squared is reported by $R^2 = 0.8$. An F-statistic equaling (5) can be calculated and used to test the overall significance of $\beta_2 = \beta_3 = 0$. Based on 5% level of significance, the critical value of this test is (6), so we (6) (reject OR do not reject) the null hypothesis of $\beta_2 = \beta_3 = 0$. (註：第 (6) 小題需 2 格全對才可得 5 分)。

III. 計算與申論題 (20%。每題 10 分，共 2 題)

請在答案卷標示大題「III」及其小題號 (1) 至 (2)，並陳述對應答案。陳述過程中若有明確數值者，請寫下該數值並四捨五入進位至小數第四位。

(1) (10%) Consider the following regression model with a lagged dependent variable:

$$y_t = \beta_1 + \beta_2 x_t + \beta_3 y_{t-1} + \varepsilon_t,$$

in which the regression residual is suspected to be an AR(1) process. That is, $\varepsilon_t = \rho \varepsilon_{t-1} + v_t$, where $0 < |\rho| \leq 1$ and v_t is white noise. The OLS regression output for this model gives you the Durbin-Watson statistic equaling 0.39 from a sample size $T = 50$, Can you test the existence of an AR(1) process in ε_t ? If you can, state your test steps and conclusion. If you cannot, state your reason(s)?

(2) (10%) Suppose the true wage equation was $y_i = \beta_1 + \beta_2 x_{2,i} + \beta_3 x_{3,i} + \varepsilon_i$, where individual i 's wage (y) is a linear function of education (x_2) and ability (x_3). ε_i is white noise. Normally, "ability" is a variable that can hardly be qualified, so Peter estimates a false wage equation as $y_i = \alpha_1 + \alpha_2 x_{2,i} + v_i$, where v_i is assumed to be white noise. Assuming that "ability" is positively correlated with wage and with education, then, is Peter's estimated $\hat{\alpha}_2$ unbiased, positively biased, or negatively biased? Why?

試題隨卷繳交

接下頁

國立臺北大學 108 學年度碩士班一般入學考試試題

系(所)組別：經濟學系


科 目：統計學

第 3 頁 共 7 頁

可 不可使用計算機

STATISTICAL TABLES

TABLE 1: AREAS UNDER THE STANDARDIZED NORMAL DISTRIBUTION



z	0.0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990

試題隨卷繳交

接背面

國立臺北大學 108 學年度碩士班一般入學考試試題


系(所)組別：經濟學系
 科目：統計學

第 4 頁 共 7 頁

可 不可使用計算機

TABLE 2: STUDENT t DISTRIBUTION: CRITICAL VALUES

For a particular number of degrees of freedom ν , each entry represents the value of t corresponding to a specified upper tail area α .



Degrees of Freedom ν	Upper Tail Areas, α					
	.25	.10	.05	.025	.01	.005
1	1.0000	3.0777	6.3137	12.7062	31.8210	63.6559
2	0.8165	1.8856	2.9200	4.3027	6.9645	9.9250
3	0.7649	1.6377	2.3534	3.1824	4.5407	5.8408
4	0.7407	1.5332	2.1318	2.7765	3.7469	4.6041
5	0.7267	1.4759	2.0150	2.5706	3.3649	4.0321
6	0.7176	1.4398	1.9432	2.4469	3.1427	3.7074
7	0.7111	1.4149	1.8946	2.3646	2.9979	3.4995
8	0.7064	1.3968	1.8595	2.3060	2.8965	3.3554
9	0.7027	1.3830	1.8331	2.2622	2.8214	3.2498
10	0.6998	1.3722	1.8125	2.2281	2.7638	3.1693
11	0.6974	1.3634	1.7959	2.2010	2.7181	3.1058
12	0.6955	1.3562	1.7823	2.1788	2.6810	3.0545
13	0.6938	1.3502	1.7709	2.1604	2.6503	3.0123
14	0.6924	1.3450	1.7613	2.1448	2.6245	2.9768
15	0.6912	1.3406	1.7531	2.1315	2.6025	2.9467
16	0.6901	1.3368	1.7459	2.1199	2.5835	2.9208
17	0.6892	1.3334	1.7396	2.1098	2.5669	2.8982
18	0.6884	1.3304	1.7341	2.1009	2.5524	2.8784
19	0.6876	1.3277	1.7291	2.0930	2.5395	2.8609
20	0.6870	1.3253	1.7247	2.0860	2.5280	2.8453
21	0.6864	1.3232	1.7207	2.0796	2.5176	2.8314
22	0.6858	1.3212	1.7171	2.0739	2.5083	2.8188
23	0.6853	1.3195	1.7139	2.0687	2.4999	2.8073
24	0.6848	1.3178	1.7109	2.0639	2.4922	2.7970
25	0.6844	1.3163	1.7081	2.0595	2.4851	2.7874
26	0.6840	1.3150	1.7056	2.0555	2.4786	2.7787
27	0.6837	1.3137	1.7033	2.0518	2.4727	2.7707
28	0.6834	1.3125	1.7011	2.0484	2.4671	2.7633
29	0.6830	1.3114	1.6991	2.0452	2.4620	2.7564
30	0.6828	1.3104	1.6973	2.0423	2.4573	2.7500
31	0.6825	1.3095	1.6955	2.0395	2.4528	2.7440
32	0.6822	1.3086	1.6939	2.0369	2.4487	2.7385
33	0.6820	1.3077	1.6924	2.0345	2.4448	2.7333
34	0.6818	1.3070	1.6909	2.0322	2.4411	2.7284
35	0.6816	1.3062	1.6896	2.0301	2.4377	2.7238
36	0.6814	1.3055	1.6883	2.0281	2.4345	2.7195
37	0.6812	1.3049	1.6871	2.0262	2.4314	2.7154
38	0.6810	1.3042	1.6860	2.0244	2.4286	2.7116
39	0.6808	1.3036	1.6849	2.0227	2.4258	2.7079
40	0.6807	1.3031	1.6839	2.0211	2.4233	2.7045
41	0.6805	1.3025	1.6829	2.0195	2.4208	2.7012
42	0.6804	1.3020	1.6820	2.0181	2.4185	2.6981
43	0.6802	1.3016	1.6811	2.0167	2.4163	2.6951
44	0.6801	1.3011	1.6802	2.0154	2.4141	2.6923
45	0.6800	1.3007	1.6794	2.0141	2.4121	2.6896
8	0.6745	1.2816	1.6449	1.9600	2.3263	2.5758

國立臺北大學 108 學年度碩士班一般入學考試試題


系(所)組別：經濟學系
科 目：統計學

第 5 頁 共 7 頁

可 不可使用計算機

TABLE 3: CHI-SQUARED DISTRIBUTION: CRITICAL VALUES

For a particular number of degrees of freedom ν , each entry represents the value of χ^2_α corresponding to a specified upper tail area α .



ν	Upper Tail Areas α									
	0.995	0.99	0.975	0.95	0.9	0.1	0.05	0.025	0.01	0.005
1	0.000039	0.000157	0.000982	0.003932	0.000157	2.70554	3.84146	5.02390	6.63489	7.87940
2	0.010025	0.020100	0.050636	0.102586	0.020100	4.60518	5.99148	7.37778	9.21035	10.59653
3	0.071723	0.114832	0.215795	0.351846	0.114832	6.25139	7.81472	9.34840	11.34488	12.83807
4	0.20498	0.29711	0.48442	0.71072	0.29711	7.77943	9.48773	11.14326	13.27670	14.86017
5	0.41175	0.55430	0.83121	1.14548	0.55430	9.23635	11.07048	12.83249	15.08832	16.74965
6	0.67573	0.87208	1.23734	1.63538	0.87208	10.64464	12.59158	14.44935	16.81187	18.54751
7	0.98925	1.23903	1.68986	2.16735	1.23903	12.01703	14.06713	16.01277	18.47532	20.27774
8	1.34440	1.64651	2.17972	2.73263	1.64651	13.36156	15.50731	17.53454	20.09016	21.95486
9	1.73491	2.08789	2.70039	3.32512	2.08789	14.68366	16.91896	19.02278	21.66605	23.58927
10	2.15585	2.55820	3.15774	3.94030	2.55820	15.98717	18.30703	20.48320	23.20929	25.18805
11	2.60320	3.05350	3.81574	4.57481	3.05350	17.27501	19.67515	21.92002	24.72602	26.75686
12	3.07379	3.57055	4.40378	5.22603	3.57055	18.54934	21.02606	23.33666	26.21696	28.29966
13	3.56504	4.10690	5.00874	5.89186	4.10690	19.81193	22.36203	24.73558	27.68818	29.81932
14	4.07466	4.66042	5.62872	6.57063	4.66042	21.06414	23.68478	26.11893	29.14116	31.31943
15	4.60873	5.22936	6.26212	7.26093	5.22936	22.30712	24.99580	27.48836	30.57795	32.80149
16	5.14216	5.81220	6.90766	7.96164	5.81220	23.54182	26.29622	28.84532	31.99986	34.26705
17	5.69727	6.40774	7.59418	8.67175	6.40774	24.76903	27.58710	30.19098	33.40872	35.71838
18	6.26477	7.01490	8.23074	9.39045	7.01490	25.98942	28.86932	31.52641	34.80524	37.15639
19	6.84392	7.63270	8.90651	10.11701	7.63270	27.20356	30.14351	32.85234	36.19077	38.58212
20	7.43381	8.26037	9.59077	10.85080	8.26037	28.41197	31.41042	34.16958	37.56627	39.99686
21	8.03360	8.89717	10.28291	11.59132	8.89717	29.61509	32.67056	35.47886	38.93223	41.40094
22	8.64208	9.54249	10.98233	12.33801	9.54249	30.81329	33.92446	36.78068	40.28945	42.79566
23	9.26038	10.19569	11.68853	13.09051	10.19569	32.00689	35.17246	38.07561	41.63833	44.18139
24	9.88620	10.85635	12.40115	13.84842	10.85635	33.19624	36.41503	39.36406	42.97978	45.55836
25	10.51965	11.52395	13.11971	14.61140	11.52395	34.38158	37.65249	40.64650	44.31401	46.92797
26	11.16022	12.19818	13.84388	15.37916	12.19818	35.56316	38.88513	41.91314	45.64164	48.28978
27	11.80765	12.87847	14.57337	16.15139	12.87847	36.74123	40.11327	43.19452	46.96284	49.64504
28	12.46128	13.56467	15.30785	16.92788	13.56467	37.91591	41.33715	44.46079	48.27817	50.99356
29	13.12107	14.25641	16.04705	17.70838	14.25641	39.08748	42.55695	45.72228	49.58783	52.33550
30	13.78668	14.95346	16.79076	18.49267	14.95346	40.25602	43.77295	46.97922	50.89218	53.67187
40	20.70658	22.10420	24.43306	26.50930	22.10420	51.80504	55.75849	59.34168	63.69077	66.76605
50	27.99082	29.70673	32.35738	34.76424	29.70673	63.16711	67.50481	71.42019	76.15380	79.48984
60	35.53440	37.48470	40.48171	43.18797	37.48470	74.39700	79.08195	83.29771	88.37943	91.95181
70	43.27531	45.44170	48.75754	51.73926	45.44170	85.52700	90.5313	95.0231	100.4251	104.2148
80	51.17193	53.53998	57.15315	60.39146	53.53998	96.5782	101.8795	106.6285	112.3288	116.3209
90	59.19633	61.75402	65.64659	69.12602	61.75402	107.5650	113.1452	118.1359	124.1162	128.2987
100	67.32753	70.06500	74.22188	77.92944	70.06500	118.4980	124.3421	129.5613	135.8069	140.1697

試題隨卷繳交

接背面

國立臺北大學 108 學年度碩士班一般入學考試試題

系(所)組別：經濟學系
 科 目：統計學

第 6 頁 共 7 頁

可 不可使用計算機




TABLE 4: F_{v_1, v_2} DISTRIBUTION: $\alpha = 0.05$
 CRITICAL VALUES

For a particular pair of degrees of freedom, v_1 : numerator
 and v_2 : denominator, each entry represents the value of F_{v_1, v_2}
 corresponding to the upper tail area α .

v_1	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞	v_2
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54	241.88	243.90	245.95	248.02	249.05	250.10	251.14	252.20	253.25	254.32	1
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50	2
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53	3
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63	4
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.37	5
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67	6
7	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93	7
8	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71	8
9	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54	9
10	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40	10
11	4.75	3.89	3.50	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30	11
12	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.29	2.25	2.21	12
13	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13	13
14	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.21	2.16	2.11	2.07	14
15	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.60	2.55	2.49	2.42	2.35	2.28	2.24	2.20	2.15	2.10	2.06	2.01	15
16	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.44	2.38	2.31	2.23	2.19	2.15	2.10	2.05	2.00	1.96	16
17	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92	17
18	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88	18
19	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84	19
20	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81	20
21	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78	21
22	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.87	1.81	1.76	22
23	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73	23
24	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71	24
25	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69	25
26	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67	26
27	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65	27
28	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64	28
29	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.26	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62	29
30	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51	30
40	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.91	1.84	1.76	1.71	1.65	1.59	1.53	1.47	1.41	40
60	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.29	60
120	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00	120

試題隨卷繳交

接下頁

國立臺北大學 108 學年度碩士班一般入學考試試題

系(所)組別：經濟學系

科 目：統計學

第 7 頁 共 7 頁

可 不可使用計算機

TABLE 5: DURBIN-WATSON STATISTIC
Bounds for critical values, d_L and d_U : $\alpha = 0.05$

n	$k' = 1$		$k' = 2$		$k' = 3$		$k' = 4$		$k' = 5$		$k' = 6$		$k' = 7$	
	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U
15	1.08	1.36	0.95	1.54	0.81	1.75	0.69	1.98	0.56	2.22	0.45	2.47	0.34	2.73
16	1.11	1.37	0.98	1.54	0.86	1.73	0.73	1.94	0.61	2.16	0.50	2.39	0.40	2.62
17	1.13	1.38	1.02	1.54	0.90	1.71	0.78	1.90	0.66	2.10	0.55	2.32	0.45	2.54
18	1.16	1.39	1.05	1.54	0.93	1.70	0.82	1.87	0.71	2.06	0.60	2.26	0.50	2.46
19	1.18	1.40	1.07	1.54	0.97	1.69	0.86	1.85	0.75	2.02	0.65	2.21	0.55	2.40
20	1.20	1.41	1.10	1.54	1.00	1.68	0.89	1.83	0.79	1.99	0.69	2.16	0.59	2.34
21	1.22	1.42	1.12	1.54	1.03	1.67	0.93	1.81	0.83	1.96	0.73	2.12	0.64	2.29
22	1.24	1.43	1.15	1.54	1.05	1.66	0.96	1.80	0.86	1.94	0.77	2.09	0.68	2.25
23	1.26	1.44	1.17	1.54	1.08	1.66	0.99	1.79	0.89	1.92	0.80	2.06	0.71	2.21
24	1.27	1.45	1.19	1.55	1.10	1.66	1.01	1.78	0.92	1.90	0.84	2.04	0.75	2.17
25	1.29	1.45	1.21	1.55	1.12	1.65	1.04	1.77	0.95	1.89	0.87	2.01	0.78	2.14
26	1.30	1.46	1.22	1.55	1.14	1.65	1.06	1.76	0.98	1.87	0.90	1.99	0.82	2.12
27	1.32	1.47	1.24	1.56	1.16	1.65	1.08	1.75	1.00	1.86	0.92	1.97	0.85	2.09
28	1.33	1.48	1.26	1.56	1.18	1.65	1.10	1.75	1.03	1.85	0.95	1.96	0.87	2.07
29	1.34	1.48	1.27	1.56	1.20	1.65	1.12	1.74	1.05	1.84	0.97	1.94	0.90	2.05
30	1.35	1.49	1.28	1.57	1.21	1.65	1.14	1.74	1.07	1.83	1.00	1.93	0.93	2.03
31	1.36	1.50	1.30	1.57	1.23	1.65	1.16	1.74	1.09	1.83	1.02	1.92	0.95	2.02
32	1.37	1.50	1.31	1.57	1.24	1.65	1.18	1.73	1.11	1.82	1.04	1.91	0.97	2.00
33	1.38	1.51	1.32	1.58	1.26	1.65	1.19	1.73	1.13	1.81	1.06	1.90	0.99	1.99
34	1.39	1.51	1.33	1.58	1.27	1.65	1.21	1.73	1.14	1.81	1.08	1.89	1.01	1.98
35	1.40	1.52	1.34	1.58	1.28	1.65	1.22	1.73	1.16	1.80	1.10	1.88	1.03	1.97
36	1.41	1.52	1.35	1.59	1.30	1.65	1.24	1.72	1.18	1.80	1.11	1.88	1.05	1.96
37	1.42	1.53	1.36	1.59	1.31	1.66	1.25	1.72	1.19	1.79	1.13	1.87	1.07	1.95
38	1.43	1.53	1.37	1.59	1.32	1.66	1.26	1.72	1.20	1.79	1.15	1.86	1.09	1.94
39	1.43	1.54	1.38	1.60	1.33	1.66	1.27	1.72	1.22	1.79	1.16	1.86	1.10	1.93
40	1.44	1.54	1.39	1.60	1.34	1.66	1.28	1.72	1.23	1.79	1.18	1.85	1.12	1.92
45	1.48	1.57	1.43	1.61	1.38	1.67	1.34	1.72	1.29	1.78	1.24	1.83	1.19	1.90
50	1.50	1.58	1.46	1.63	1.42	1.67	1.38	1.72	1.33	1.77	1.29	1.82	1.25	1.88
55	1.53	1.60	1.49	1.64	1.45	1.68	1.41	1.72	1.37	1.77	1.33	1.81	1.29	1.86
60	1.55	1.62	1.51	1.65	1.48	1.69	1.44	1.73	1.41	1.77	1.37	1.81	1.33	1.85
65	1.57	1.63	1.54	1.66	1.50	1.70	1.47	1.73	1.44	1.77	1.40	1.80	1.37	1.84
70	1.58	1.64	1.55	1.67	1.52	1.70	1.49	1.74	1.46	1.77	1.43	1.80	1.40	1.84
75	1.60	1.65	1.57	1.68	1.54	1.71	1.52	1.74	1.49	1.77	1.46	1.80	1.43	1.83
80	1.61	1.66	1.59	1.69	1.56	1.72	1.53	1.74	1.51	1.77	1.48	1.80	1.45	1.83
85	1.62	1.67	1.60	1.70	1.58	1.72	1.55	1.75	1.53	1.77	1.50	1.80	1.47	1.83
90	1.63	1.68	1.61	1.70	1.59	1.73	1.57	1.75	1.54	1.78	1.52	1.80	1.49	1.83
95	1.64	1.69	1.62	1.71	1.60	1.73	1.58	1.75	1.56	1.78	1.53	1.80	1.51	1.83
100	1.65	1.69	1.63	1.72	1.61	1.74	1.59	1.76	1.57	1.78	1.55	1.80	1.53	1.83

n = number of observations.

$k' = k - 1$ = number of explanatory variables excluding the constant.

試題隨卷繳交