

考試科目	統計學	所別	財政所	考試時間	3月18日 星期日	第 四 節
------	-----	----	-----	------	--------------	-------

國立政治大學圖書館

DO ALL QUESTIONS.

1. (10 points)

If X and Y are independent random variables with $E(X) = Var(X) = a$, $E(Y) = Var(Y) = b$. Show $Var(XY)$ in terms of a and b .

2. (10 points)

If X_1, X_2, \dots, X_n constitute a random sample from the population given by:

$$f(x) = \begin{cases} e^{-(x-\delta)} & \text{for } x > \delta \\ 0 & \text{elsewhere} \end{cases}$$

Test whether \bar{X} is an unbiased estimator of δ .

3. (25 points, 5/10/10)

Given the joint probability density, answer the following questions.

$$f(x, y) = \begin{cases} \frac{2}{3}(x+2y) & \text{for } 0 < x < 1, 0 < y < 1 \\ 0 & \text{elsewhere} \end{cases}$$

(1) Find the marginal densities of X and Y .

(2) Find the conditional density of X given $Y = y$, and use it to evaluate $P(X \leq \frac{1}{2} | Y = \frac{1}{2})$.

(3) Find the conditional mean and conditional variance of X given $Y = \frac{1}{2}$.

備 考 試 題 隨 卷 繳 交

命 題 委 員 :

073

(簽章) 96 年 3 月 3 日

命題紙使用說明：1. 試題將用原件印製，敬請使用黑色墨水止稍書寫或打字（紅色不能製版請勿使用）。
2. 書寫時請勿超出格外，以免印製不清。
3. 試題由郵寄遞者請以掛號寄出，以免遺失而示慎重。

考試科目	統計學	所別	財政所	考試時間	3月18日 星期日	第 四 節
------	-----	----	-----	------	--------------	-------

國立政治大學圖書館

4. (15 points)

Please use the survey data shown in the following table to determine whether the true proportion of people favoring Party A and Party B is the same in all three different age levels under a 5% level of significance.

	Number of favoring Party A	Number of favoring Party B
Above 50 years old	232	168
30 ~ 50 years old	260	240
Under 30 years old	197	203

5. (15 points, 3/3/3/3/3)

True or False, and you **MUST** explain why.

- (1) If $P(A) = 0.4$ and $P(A) = 0.6$, then event A and event B must be collectively exhaustive.
- (2) Hypothesis test is a procedure based on sample evidence and probability theory used to determine whether the statement of a sample statistic is reasonable.
- (3) Suppose we reject the H_0 in a two-tail hypothesis test, then we also will reject it in a one-tail scenario if other things being equal.
- (4) Two-tail test is more powerful than a one-tail test if other things being equal.
- (5) The confidence interval estimate of a population mean will be wider when the sample size decreases if other things being equal.

備	考試題隨卷繳交
命題委員：	074 (簽章) 96年 3月 3日

命題紙使用說明：1. 試題將用原件印製，敬請使用黑色墨水正楷書寫或打字（紅色不能製版請勿使用）。
 2. 書寫時請勿超出格外，以免印製不清。
 3. 試題由郵寄遞者請以掛號寄出，以免遺失而示慎重。

考試科目	統計學	所別	財政所	考試時間	3月18日 星期日	第 四 節
------	-----	----	-----	------	--------------	-------

6. (25 points, 10/5/5/5)

You want to know how the sales of a candy bar (Sales) is influenced by the price (Price) and in-store promotional expenditures (Promotion); therefore, you randomly selected 34 stores for an OLS regression study. The sales is measured of the number of the candy bars sold in a month, the price is measure in cents, and the promotion is measured as the monthly budget in dollars, including signs, displays, in-store coupons and free samples expenditures. Part of Microsoft Excel output is provided below.

Regression Statistics

Multiple R	0.870475
R Square	(c)
Adjusted R Square	0.742095
Standard Error	(d)
Observations	34

ANOVA

	df	SS	MS	F
Regression		39472730.77	(b)	48.47713433
Residual		(a)	407127.312	
Total	33	52093677.44		

	Coefficients	Standard Error	t Stat
Intercept	5837.5208	628.150	9.29319
Price	-53.21734	6.85222	(e)
Promotion	3.61306	0.68522	5.27283

- (1) Calculate the answers of (a), (b), (c), (d) and (e).
- (2) Explain what the "Adjusted R Square = 0.742095" means.
- (3) Find the 95% confidence interval for the estimated coefficient of "Promotion".
- (4) Suppose you have further information of the manager's gender in each store, how will you modify the regression equation if you want to measure the difference in the effect of promotion between male and female managers.

備 考 試 題 隨 卷 繳 交


命 題 委 員 : 075 (簽章) 96 年 3 月 3 日

命題紙使用說明：1. 試題將用原件印製，敬請使用黑色墨水正楷書寫或打字（紅色不能製版請勿使用）。
2. 書寫時請勿超出格外，以免印製不清。
3. 試題由郵寄遞者請以掛號寄出，以免遺失而示慎重。

國立政治大學圖書館

考試科目	統計學	所別	財政所	考試時間	3月18日 星期日	第 四 節
------	-----	----	-----	------	--------------	-------

Table of Standard Normal Distribution



Entries in the table give the area under the curve between the mean and z standard deviations above the mean. For example, for $z = 1.25$ the area under the curve between the mean and z is .3944.

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990

國立政治大學圖書館


備 考 試 題 隨 卷 繳 交

命 題 委 員 : 076 (簽章) 96年 3 月 3 日

- 命題紙使用說明：1. 試題將用原件印製，敬請使用黑色墨水正楷書寫或打字（紅色不能製版請勿使用）。
 2. 書寫時請勿超出格外，以免印製不清。
 3. 試題由郵寄遞者請以掛號寄出，以免遺失而示慎重。

考試科目	統計學	所別	財政所	考試時間	3月18日 星期日	第 四 節
------	-----	----	-----	------	--------------	-------

Table of t Distribution



Entries in the table give t values for an area or probability in the upper tail of the t distribution. For example, with 10 degrees of freedom and a .05 area in the upper tail, $t_{.05} = 1.812$.

國立政治大學圖書館

Degrees of Freedom	Area in Upper Tail					
	.20	.10	.05	.025	.01	.005
1	1.376	3.078	6.314	12.706	31.821	63.656
2	1.061	1.886	2.920	4.303	6.965	9.925
3	.978	1.638	2.353	3.182	4.541	5.841
4	.941	1.533	2.132	2.776	3.747	4.604
5	.920	1.476	2.015	2.571	3.365	4.032
6	.906	1.440	1.943	2.447	3.143	3.707
7	.896	1.415	1.895	2.365	2.998	3.499
8	.889	1.397	1.860	2.306	2.896	3.355
9	.883	1.383	1.833	2.262	2.821	3.250
10	.879	1.372	1.812	2.228	2.764	3.169
11	.876	1.363	1.796	2.201	2.718	3.106
12	.873	1.356	1.782	2.179	2.681	3.055
13	.870	1.350	1.771	2.160	2.650	3.012
14	.868	1.345	1.761	2.145	2.624	2.977
15	.866	1.341	1.753	2.131	2.602	2.947
16	.865	1.337	1.746	2.120	2.583	2.921
17	.863	1.333	1.740	2.110	2.567	2.898
18	.862	1.330	1.734	2.101	2.552	2.878
19	.861	1.328	1.729	2.093	2.539	2.861
20	.860	1.325	1.725	2.086	2.528	2.845
21	.859	1.323	1.721	2.080	2.518	2.831
22	.858	1.321	1.717	2.074	2.508	2.819
23	.858	1.319	1.714	2.069	2.500	2.807
24	.857	1.318	1.711	2.064	2.492	2.797
25	.856	1.316	1.708	2.060	2.485	2.787
26	.856	1.315	1.706	2.056	2.479	2.779
27	.855	1.314	1.703	2.052	2.473	2.771
28	.855	1.313	1.701	2.048	2.467	2.763
29	.854	1.311	1.699	2.045	2.462	2.756
30	.854	1.310	1.697	2.042	2.457	2.750
31	.853	1.309	1.696	2.040	2.453	2.744
32	.853	1.309	1.694	2.037	2.449	2.738
33	.853	1.308	1.692	2.035	2.445	2.733
34	.852	1.307	1.691	2.032	2.441	2.728


備 考試題隨卷繳交

命題委員： 077 (簽章) 96年3月3日

- 命題紙使用說明：
1. 試題將用原件印製，敬請使用黑色墨水正楷書寫或打字（紅色不能製版請勿使用）。
 2. 書寫時請勿超出格外，以免印製不清。
 3. 試題由郵寄遞者請以掛號寄出，以免遺失而示慎重。

考試科目	統計學	所別	財政所	考試時間	3月18日 星期日	第 四 節
------	-----	----	-----	------	--------------	-------

Table of Chi-Square Distribution



國立政治大學圖書館

Entries in the table give χ_{α}^2 values, where α is the area or probability in the upper tail of the chi-square distribution. For example, with 10 degrees of freedom and a .01 area in the upper tail, $\chi_{.01}^2 = 23.209$.

Degrees of Freedom	Area in Upper Tail									
	.995	.99	.975	.95	.90	.10	.05	.025	.01	.005
1	.000	.000	.001	.004	.016	2.706	3.841	5.024	6.635	7.879
2	.100	.020	.051	.103	.211	4.605	5.991	7.378	9.210	10.597
3	.072	.115	.216	.352	.584	6.251	7.815	9.348	11.345	12.838
4	.207	.297	.484	.711	1.064	7.779	9.488	11.143	13.277	14.860
5	.412	.554	.831	1.145	1.610	9.236	11.070	12.832	15.086	16.750
6	.676	.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.548
7	.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.278
8	1.344	1.647	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.757
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.300
13	3.565	4.107	5.009	5.892	7.041	19.812	22.362	24.736	27.688	29.819
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.801
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.718
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.582
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	14.041	30.813	33.924	36.781	40.289	42.796
23	9.260	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.558
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46.928
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.808	12.878	14.573	16.151	18.114	36.741	40.113	43.195	46.963	49.645
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.994
29	13.121	14.256	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.335

備 考 試 題 隨 卷 繳 交

命 題 委 員 :

078

(簽章) 96 年 3 月 3 日

- 命題紙使用說明：
1. 試題將用原件印製，敬請使用黑色墨水正楷書寫或打字（紅色不能製版請勿使用）。
 2. 書寫時請勿超出格外，以免印製不清。
 3. 試題由郵寄遞者請以掛號寄出，以免遺失而示慎重。