

# 國立成功大學

## 113學年度碩士班招生考試試題

編 號：230

系 所：工業與資訊管理學系

科 目：統計學

日 期：0202

節 次：第 3 節

備 註：可使用計算機

※ 考生請注意：本試題可使用計算機。請於答案卷(卡)作答，於本試題紙上作答者，不予計分。

1. (40%, 5% for each) Multiple choice questions.

1.1 The table below presents the survey results regarding preferences for Options I and II among two groups, i.e., A and B. What is the probability that a respondent of Group B prefers Option I? Is the option preference independent of the groups?

	Option I	Option II
Group A	230	250
Group B	280	210

Which of the following statements is correct, rounded to the second decimal place.

(a) 0.55, Dependent (b) 0.57, Independent (c) 0.55 Independent (d) 0.57, Dependent (e) 0.28, Dependent

1.2 Out of 20 stocks, half of them have an annual return rate exceeding 2%, and 6 stocks have a three-year return rate exceeding 15%. Additionally, three stocks have both an annual return rate exceeding 2% and a three-year return rate exceeding 15%. What is the probability that a stock has an annual return rate of less than 2% and a three-year return rate of less than 15%?

(a) 0.15 (b) 0.3 (c) 0.35 (d) 0.5 (e) 0.65

1.3 Consider a random variable  $x$  with a probability distribution function given by

$$f(x) = \begin{cases} k^{-1}(2 + x^2), & x = -1, 0, 1, 2, 3 \\ 0, & \text{else} \end{cases}, \text{ where } k \in R.$$

Which of the following statements is correct for  $(E(x), Var(x))$ ?

(a) (1.8, 5.16) (b) (1.8, 1.92) (c) (1.92, 1.8) (d) (2.04, 1.8) (e) (1.92, 5.16)

1.4 Consider two independent random variables  $X$  and  $Y$ , where  $W = 2X + Y$ . If  $X \sim N(12, 4)$  and  $Y \sim N(20, 5)$ , what is the variance of  $2W + 5$ ?

(a) 21 (b) 48 (c) 53 (d) 84 (e) 89

1.5 A webpage receives 8 visitors per minute, assuming that the intervals between visitor arrivals follow an exponential distribution. What is the probability that no one visits the webpage in the next half-minute?

(a) 0.5 (b) 0.00034 (c)  $e^{-4}$  (d) 8 (e)  $1 - e^{-4}$

1.6 Sampling 30 samples and calculating their mean, long-term test results indicate that 5% exceed 2.5, and 5% are less than 2. Which value below is closest to the standard deviation of the population?

(a) 0.70 (b) 0.97 (c) 0.83 (d) 0.16 (e) 0.62

- 1.7 Consider a sample with the following numerical results: 95, 89, 76, 88, 90, 100, 90, 92, 98. Assuming the population follows a normal distribution, which of the following is closest to the 90% confidence interval for the population mean?
- (a) (87.65, 94.13) (b) (86.57, 95.20) (c) (87.68, 94.05) (d) (86.64, 95.14) (e) (87.51, 94.49)
- 1.8 A company wants to estimate the default proportion and aims to do so within a 98% confidence level, with a margin of error controlled at 0.03. No other population information is known. What sample size is needed?
- (a) 1068 (b) 1507 (c) 1509 (d) 1069 (e) 1070
2. (10%) There is a population with a daily average consumption that follows a normal distribution with a mean of 500 and a standard deviation of 100.
- 2.1 (3%) If a random sample is drawn from this population, what is the probability that the daily average consumption exceeds 700?
- 2.2 (3%) If a sample of size 3 is taken from the population, what is the probability that the total daily average consumption of the sample is below 1292?
- 2.3 (4%) Assuming the distribution of the population is unknown, if 50 random samples are drawn, what is the probability that the total daily average consumption falls between 23,000 and 26,000?

背面尚有試題

※ 考生請注意：本試題可使用計算機。請於答案卷(卡)作答，於本試題紙上作答者，不予計分。

3. (15%) A researcher is studying whether people's household income is related to which resort they stayed at during holiday season in Kenting. Data of 555 customers of two resorts are summarized in the following table:

Visited	Household Income					Total
	Less than 250K	250K to 500K	500K to 750K	750K to 1000K	Above 1000K	
Resort A	26	38	76	57	50	247
Resort B	72	76	73	34	53	308
Total	98	114	149	91	103	555

(a) (5%) State the hypothesis of interest.

(b) (10%) Test the above hypothesis using  $\alpha = 0.05$ . What is your conclusion?

4. (15%) 30 students took the Statistic course and 20 of them passed the subject. Some of the students formed their study teams while they were taking the class. If a student joined a study team, the variable StudyMate is recorded as "1" and "0" otherwise. The following Minitab outputs show the relation of passing the subject between (1) hours spent on the study and (2) did the student have a study mate.

Link Function: Logit

Response Information

Variable	Value	Count
Pass	1	20 (Event)
	0	10
Total		30

Logistic Regression Table

Predictor	Coef	SE Coef	Z	P	Odds Ratio	95% CI	
						Lower	Upper
Constant	-4.64843	1.96797	-2.36	0.018			
StudyingHours	0.192944	0.0772543	2.50	0.013	1.21	1.04	1.41
StudyMate	2.14258	1.40216	2.01	0.044	8.52	0.55	133.06

Log-Likelihood = -10.076

Test that all slopes are zero: G = 18.038, DF = 2, P-Value = 0.000

(a) (5%) What is the estimated logistic regression equation for the problem?

(b) (5%) If a student spent 20 hours on study and she had a study mate, what is her probability to pass the course according to (a)?

(c) (5%) What is the change in the odds if a student decided to join a study team?

5. (20%) The following table shows the improvement of metal hardening process over their original values (in percentage). The first row is the results of 8 samples from the current process and the second from the new process (the larger the better).

current	66	57	98	72	68	77	81	60
new	80	70	120	67	59	83	85	79

- (a) (10%) Formulate a Mann-Whitney U test to see if the new process is indeed better than the current process. ( $\alpha = 0.05$ )
- (b) (10%) Now suppose each tested sample received both treatments and generated the same results as the above table. Formulate a paired t-test to see if the new process is better than the current process. ( $\alpha = 0.05$ )



cum. prob	$t_{.50}$	$t_{.75}$	$t_{.80}$	$t_{.85}$	$t_{.90}$	$t_{.95}$	$t_{.975}$	$t_{.99}$	$t_{.995}$	$t_{.999}$	$t_{.9995}$
one-tail	0.50	0.25	0.20	0.15	0.10	0.05	0.025	0.01	0.005	0.001	0.0005
two-tails	1.00	0.50	0.40	0.30	0.20	0.10	0.05	0.02	0.01	0.002	0.001
df											
1	0.000	1.000	1.376	1.963	3.078	6.314	12.71	31.82	63.66	318.31	636.62
2	0.000	0.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.000	0.765	0.978	1.250	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.000	0.741	0.941	1.190	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.000	0.727	0.920	1.156	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.000	0.718	0.906	1.134	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.000	0.711	0.896	1.119	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.000	0.706	0.889	1.108	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.000	0.703	0.883	1.100	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.000	0.700	0.879	1.093	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.000	0.697	0.876	1.088	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.000	0.695	0.873	1.083	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.000	0.694	0.870	1.079	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.000	0.692	0.868	1.076	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.000	0.691	0.866	1.074	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.000	0.690	0.865	1.071	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.000	0.689	0.863	1.069	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.000	0.688	0.862	1.067	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.000	0.688	0.861	1.066	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.000	0.687	0.860	1.064	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.000	0.686	0.859	1.063	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.000	0.686	0.858	1.061	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.000	0.685	0.858	1.060	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.000	0.685	0.857	1.059	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.000	0.684	0.856	1.058	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.000	0.684	0.856	1.058	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.000	0.684	0.855	1.057	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.000	0.683	0.855	1.056	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.000	0.683	0.854	1.055	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.000	0.683	0.854	1.055	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	0.000	0.681	0.851	1.050	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	0.000	0.679	0.848	1.045	1.296	1.671	2.000	2.390	2.660	3.232	3.460
80	0.000	0.678	0.846	1.043	1.292	1.664	1.990	2.374	2.639	3.195	3.416
100	0.000	0.677	0.845	1.042	1.290	1.660	1.984	2.364	2.626	3.174	3.390
1000	0.000	0.675	0.842	1.037	1.282	1.646	1.962	2.330	2.581	3.098	3.300
Z	0.000	0.674	0.842	1.036	1.282	1.645	1.960	2.326	2.576	3.090	3.291
	0%	50%	60%	70%	80%	90%	95%	98%	99%	99.8%	99.9%
	Confidence Level										

Chi-Square Right-Tail Probability ( $\geq \chi^2$ )										
DF	0.995	0.99	0.975	0.95	0.9	0.1	0.05	0.025	0.01	0.005
1	—	—	0.001	0.004	0.016	2.706	3.841	5.024	6.635	7.879
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210	10.597
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345	12.838
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.070	12.833	15.086	16.750
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.548
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.278
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.757
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.300
13	3.565	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688	29.819
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.801
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.718
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.582
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	14.041	30.813	33.924	36.781	40.289	42.796
23	9.260	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.559
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46.928
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.808	12.879	14.573	16.151	18.114	36.741	40.113	43.195	46.963	49.645
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993
29	13.121	14.256	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.336
30	13.787	14.953	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672
40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.766
50	27.991	29.707	32.357	34.764	37.689	63.167	67.505	71.420	76.154	79.490
60	35.534	37.485	40.482	43.188	46.459	74.397	79.082	83.298	88.379	91.952
70	43.275	45.442	48.758	51.739	55.329	85.527	90.531	95.023	100.425	104.215
80	51.172	53.540	57.153	60.391	64.278	96.578	101.879	106.629	112.329	116.321
90	59.196	61.754	65.647	69.126	73.291	107.565	113.145	118.136	124.116	128.299
100	67.328	70.065	74.222	77.929	82.358	118.498	124.342	129.561	135.807	140.169



Critical Values of the Mann-Whitney U  
(One-Tailed Testing)

n <sub>2</sub>	α	n <sub>1</sub>																	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
3	.05	0	0	1	2	2	3	4	4	5	5	6	7	7	8	9	9	10	11
	.01	--	0	0	0	0	0	1	1	1	2	2	3	3	4	4	4	5	
4	.05	0	1	2	3	4	5	6	7	8	9	10	11	12	14	15	16	17	18
	.01	--	--	0	1	1	2	3	3	4	5	5	6	7	7	8	9	9	10
5	.05	1	2	4	5	6	8	9	11	12	13	15	16	18	19	20	22	23	25
	.01	--	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
6	.05	2	3	5	7	8	10	12	14	16	17	19	21	23	25	26	28	30	32
	.01	--	1	2	3	4	6	7	8	9	11	12	13	15	16	18	19	20	22
7	.05	2	4	6	8	11	13	15	17	19	21	24	26	28	30	33	35	37	39
	.01	0	1	3	4	6	7	9	11	12	14	16	17	19	21	23	24	26	28
8	.05	3	5	8	10	13	15	18	20	23	26	28	31	33	36	39	41	44	47
	.01	0	2	4	6	7	9	11	13	15	17	20	22	24	26	28	30	32	34
9	.05	4	6	9	12	15	18	21	24	27	30	33	36	39	42	45	48	51	54
	.01	1	3	5	7	9	11	14	16	18	21	23	26	28	31	33	36	38	40
10	.05	4	7	11	14	17	20	24	27	31	34	37	41	44	48	51	55	58	62
	.01	1	3	6	8	11	13	16	19	22	24	27	30	33	36	38	41	44	47
11	.05	5	8	12	16	19	23	27	31	34	38	42	46	50	54	57	61	65	69
	.01	1	4	7	9	12	15	18	22	25	28	31	34	37	41	44	47	50	53
12	.05	5	9	13	17	21	26	30	34	38	42	47	51	55	60	64	68	72	77
	.01	2	5	8	11	14	17	21	24	28	31	35	38	42	46	49	53	56	60
13	.05	6	10	15	19	24	28	33	37	42	47	51	56	61	65	70	75	80	84
	.01	2	5	9	12	16	20	23	27	31	35	39	43	47	51	55	59	63	67
14	.05	7	11	16	21	26	31	36	41	46	51	56	61	66	71	77	82	87	92
	.01	2	6	10	13	17	22	26	30	34	38	43	47	51	56	60	65	69	73
15	.05	7	12	18	23	28	33	39	44	50	55	61	66	72	77	83	88	94	100
	.01	3	7	11	15	19	24	28	33	37	42	47	51	56	61	66	70	75	80
16	.05	8	14	19	25	30	36	42	48	54	60	65	71	77	83	89	95	101	107
	.01	3	7	12	16	21	26	31	36	41	46	51	56	61	66	71	76	82	87
17	.05	9	15	20	26	33	39	45	51	57	64	70	77	83	89	96	102	109	115
	.01	4	8	13	18	23	28	33	38	44	49	55	60	66	71	77	82	88	93
18	.05	9	16	22	28	35	41	48	55	61	68	75	82	88	95	102	109	116	123
	.01	4	9	14	19	24	30	36	41	47	53	59	65	70	76	82	88	94	100
19	.05	10	17	23	30	37	44	51	58	65	72	80	87	94	101	109	116	123	130
	.01	4	9	15	20	26	32	38	44	50	56	63	69	75	82	88	94	101	107
20	.05	11	18	25	32	39	47	54	62	69	77	84	92	100	107	115	123	130	138
	.01	5	10	16	22	28	34	40	47	53	60	67	73	80	87	93	100	107	114