

※ 考生請注意：本試題可使用計算機，並限「考選部核定之國家考試電子計算器」機型

1. (6%) What are the two basic laws of probability?
2. (6%) What is Bayes' theorem, and when can it be used?
3. (12%) Compute the mean, the median, the mode and the variance for the following data. Assume these are population data.

Class	Frequency	Class	Frequency
5-under 9	20	17-under 21	8
9-under 13	18	21-under 25	2
13-under 17	10		

4. (6%) Given a 90% confidence interval [24.91, 26.89] for μ ,
 - (a) What is the corresponding value of \bar{X} , the estimate of μ ?
 - (b) If 10 such intervals are constructed by taking random samples from the population, how many intervals would likely include the population mean, μ ?
5. (10%) Suppose the following data are the numbers of gallons of water used in a day to brush teeth by 12 randomly selected people and the data come from a normal distribution. Use these data and a 5% level of significance to test whether the population variance for such water usage is 2.5 gallons.

10 8 13 17 13 15 12 13 15 16 9 7

6. (10%) Suppose a random sample of 60 sales slips is selected from a large discount outlet and a random sample of 40 sales slips is selected from a specialty store. The data gathered from these samples follow.

Large Discount Store	Specialty Store
$\bar{x}_D = \$472$	$\bar{x}_S = \$274$
$\sigma_D = \$124.5$	$\sigma_S = \$98.2$

Use $\alpha = 0.01$ to determine whether there is a significant difference in the average size of purchases at these stores.

(背面仍有題目,請繼續作答)

系所組別： 資訊管理研究所甲組

考試科目： 統計學

考試日期：0225，節次：3

※ 考生請注意：本試題可使用計算機，並限「考選部核定之國家考試電子計算器」機型

7. NCKU plans to conduct a study with a balanced design to evaluate the relationships between the use of weight lifting belt and the level of blood pressure in baggage handlers. It is assumed that the true blood pressure distributions of belt and non-belt users are both normal. A small pilot study was conducted to obtain parameters required for determining the sample size needed for the coming larger study. In that pilot study, the descriptive statistics for belt and non-belt users are as follows:

$$\bar{x}_1 = 133.71, S_1=14.24, \bar{x}_2 = 126.65, S_2=17.13 \quad 1: \text{belt users} \quad 2: \text{non-belt users}$$

- a). What does statistical power mean? (3%)
- b). Please determine the appropriate sample size for the larger study using a two-side test with a significant level of 0.05 and a power of 0.80. (8%)

8. The department of industrial & informational management plans to purchase a batch of desktop personal computers in the coming year. All the hardware specifications have been determined except the main input system, keyboard. A study was conducted to evaluate the usability of three different keyboards in terms of resulting typing speed (WPM) observed from participants with a similar level of typing skill. Thirty participants were randomly assigned to either type of keyboards.

Table. The results of typing tests using three different keyboards

Keyboard										
X	38	47	66	64	35	46	64	40	47	63
Y	12	29	31	33	39	39	39	40	39	39
Z	47	38	27	33	38	40	48	45	39	27

- a). Assume we only have typing results from Keyboard X and Y here(ignore Keyboard Z). Do Keyboard X and Y deliver in a similar level of usability in terms of the typing speed? (Additional Information is provided in the appendix) (12%)

- b). Now let us evaluate three keyboards all together. The result of one-way analysis of variance (ANOVA) was partially provided in the following table.

Source	DF	SS	MS	F	P-value
Keyboard factor	2	1059.8	529.9		0.0088
Error		2526.5			

系所組別： 資訊管理研究所甲組

考試科目： 統計學

考試日期： 0225 · 節次： 3

※ 考生請注意：本試題可使用計算機，並限「考選部核定之國家考試電子計算器」機型

- 1). Please calculate those missing values in the ANOVA table above. (3%)
- 2). What does p-value mean here? (3%)
- 3). Please construct the 95% confidence intervals between Keyboard Y and Keyboard Z and explain the result. (8%)`

9. When there are more than two levels (subgroups) in one factor, the post-hoc analysis is often desired once the ANOVA showed a significant omnibus test result. Why this should be accomplished through "multiple comparisons" (multiple testing) instead of conducting a series of conventional two-sample t-tests? Please name one common statistical procedure used in multiple testing. (5%).

10. Eighty patients were treated with an experimental drug for three months. Pre- and post-study clinical laboratory results showed abnormally high value of GPT (one type of liver function index), i.e. above the upper limit of the normal range, were summarized in the following table. What statistical test you should perform to examine whether there is an evidence of a change in the pre- to post-treatment rates of abnormalities? Please describe the null hypothesis and calculate the corresponding test statistic. (8%)

Table. Abnormality Frequency Summary

		Post-Treatment		
		N	Y	Total
Pre-Treatment	N	50	15	65
	Y	7	8	15
	Total	57	23	80

N = normal Y = GPT value above upper limit of normal range

(背面仍有題目,請繼續作答)

系所組別： 資訊管理研究所甲組

考試科目： 統計學

考試日期： 0225，節次： 3

※ 考生請注意：本試題可使用計算機，並限「考選部核定之國家考試電子計算器」機型

Additional Information for Question 8.(a)

Tests for Normality for the typing speed					
Test	--Statistic---		-----p Value-----		
Shapiro-Wilk	W	0.895395	Pr < W	0.0338	
Kolmogorov-Smirnov	D	0.229754	Pr > D	<0.0100	
Cramer-von Mises	W-Sq	0.178373	Pr > W-Sq	0.0089	
Anderson-Darling	A-Sq	1.014557	Pr > A-Sq	0.0091	

Levene's Test for Homogeneity of the typing speed Variance ANOVA of Squared Deviations from Group Means					
Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
treatment	1	28192.5	28192.5	1.51	0.2344
Error	18	335225	18623.6		

系所組別： 資訊管理研究所甲組

考試科目： 統計學

考試日期：0225，節次：3

※ 考生請注意：本試題可使用計算機，並限「考選部核定之國家考試電子計算器」機型

Standard normal cumulative probabilities

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.8	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
-3.7	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
-3.6	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
-3.5	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0014	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0076	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1057	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2297	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

Note: Table entry is the area under the standard normal curve to the left of the indicated z-value, thus giving $P(Z < z)$.

(背面仍有題目,請繼續作答)

系所組別： 資訊管理研究所甲組

考試科目： 統計學

考試日期： 0225，節次： 3

※ 考生請注意：本試題可使用計算機，並限「考選部核定之國家考試電子計算器」機型

Percentage points of the t distribution ($t_{\alpha, d}$)^a

Degrees of freedom, d	u								
	.75	.80	.85	.90	.95	.975	.99	.995	.9995
1	1.000	1.376	1.963	3.078	6.314	12.706	31.821	63.657	636.619
2	0.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	31.598
3	0.765	0.978	1.250	1.638	2.353	3.182	4.541	5.841	12.924
4	0.741	0.941	1.190	1.533	2.132	2.776	3.747	4.604	8.610
5	0.727	0.920	1.156	1.476	2.015	2.571	3.365	4.032	6.869
6	0.718	0.906	1.134	1.440	1.943	2.447	3.143	3.707	5.959
7	0.711	0.896	1.119	1.415	1.895	2.365	2.998	3.499	5.408
8	0.706	0.889	1.108	1.397	1.860	2.306	2.896	3.355	5.041
9	0.703	0.883	1.100	1.383	1.833	2.262	2.821	3.250	4.781
10	0.700	0.879	1.093	1.372	1.812	2.228	2.764	3.169	4.587
11	0.697	0.876	1.088	1.363	1.796	2.201	2.718	3.106	4.437
12	0.695	0.873	1.083	1.356	1.782	2.179	2.681	3.055	4.318
13	0.694	0.870	1.079	1.350	1.771	2.160	2.650	3.012	4.221
14	0.692	0.868	1.076	1.345	1.761	2.145	2.624	2.977	4.140
15	0.691	0.866	1.074	1.341	1.753	2.131	2.602	2.947	4.073
16	0.690	0.865	1.071	1.337	1.746	2.120	2.583	2.921	4.015
17	0.689	0.863	1.069	1.333	1.740	2.110	2.567	2.898	3.965
18	0.688	0.862	1.067	1.330	1.734	2.101	2.552	2.878	3.922
19	0.688	0.861	1.066	1.328	1.729	2.093	2.539	2.861	3.883
20	0.687	0.860	1.064	1.325	1.725	2.086	2.528	2.845	3.850
21	0.686	0.859	1.063	1.323	1.721	2.080	2.518	2.831	3.819
22	0.686	0.858	1.061	1.321	1.717	2.074	2.508	2.819	3.792
23	0.685	0.858	1.060	1.319	1.714	2.069	2.500	2.807	3.767
24	0.685	0.857	1.059	1.318	1.711	2.064	2.492	2.797	3.745
25	0.684	0.856	1.058	1.316	1.708	2.060	2.485	2.787	3.725
26	0.684	0.856	1.058	1.315	1.706	2.056	2.479	2.779	3.707
27	0.684	0.855	1.057	1.314	1.703	2.052	2.473	2.771	3.690
28	0.683	0.855	1.056	1.313	1.701	2.048	2.467	2.763	3.674
29	0.683	0.854	1.055	1.311	1.699	2.045	2.462	2.756	3.659
30	0.683	0.854	1.055	1.310	1.697	2.042	2.457	2.750	3.646
40	0.681	0.851	1.050	1.303	1.684	2.021	2.423	2.704	3.551
60	0.679	0.848	1.046	1.296	1.671	2.000	2.390	2.660	3.460
120	0.677	0.845	1.041	1.289	1.658	1.980	2.358	2.617	3.373
∞	0.674	0.842	1.036	1.282	1.645	1.960	2.326	2.576	3.291

^aThe u th percentile of a t distribution with d degrees of freedom.

[Table 5 is taken from Table III of Fisher and Yates: "Statistical Tables for Biological, Agricultural and Medical Research," published by Longman Group Ltd., London (previously published by Oliver and Boyd Ltd., Edinburgh) and by permission of the authors and publishers.]

系所組別： 資訊管理研究所甲組


考試科目： 統計學

考試日期： 0225 · 節次： 3

※ 考生請注意：本試題可使用計算機，並限「考選部核定之國家考試電子計算器」機型

The Chi-Square Table

Values of χ^2 for Selected Probabilities



Example: df (Number of degrees of freedom) = 5, the tail above $\chi^2 = 9.23635$ represents 0.10 or 10% of area under the curve.

Degrees of Freedom	Area in Upper Tail									
	.995	.99	.975	.95	.9	.1	.05	.025	.01	.005
1	0.000393	0.0001571	0.0009821	0.0039322	0.0157907	2.7055	3.8415	5.0239	6.6349	7.8794
2	0.010025	0.020100	0.050636	0.102586	0.210721	4.6052	5.9915	7.3778	9.2104	10.5965
3	0.07172	0.11483	0.21579	0.35185	0.58438	6.2514	7.8147	9.3484	11.3449	12.8381
4	0.20698	0.29711	0.48442	0.71072	1.06362	7.7794	9.4877	11.1433	13.2767	14.8602
5	0.41175	0.55430	0.83121	1.14548	1.61031	9.2363	11.0705	12.8325	15.0863	16.7496
6	0.67573	0.87208	1.23734	1.63538	2.20413	10.6446	12.5916	14.4494	16.8119	18.5475
7	0.98925	1.23903	1.68986	2.16735	2.83311	12.0170	14.0671	16.0128	18.4753	20.2777
8	1.34440	1.64651	2.17972	2.73263	3.48954	13.3616	15.5073	17.5345	20.0902	21.9549
9	1.73491	2.08789	2.70039	3.32512	4.16816	14.6837	16.9190	19.0228	21.6660	23.5893
10	2.15585	2.55820	3.24696	3.94030	4.86518	15.9872	18.3070	20.4832	23.2093	25.1881
11	2.60320	3.05350	3.81574	4.57481	5.57779	17.2750	19.6752	21.9200	24.7250	26.7569
12	3.07379	3.57055	4.40378	5.22603	6.30380	18.5493	21.0261	23.3367	26.2170	28.2997
13	3.56504	4.10690	5.00874	5.89186	7.04150	19.8119	22.3620	24.7356	27.6882	29.8193
14	4.07466	4.66042	5.62872	6.57063	7.78954	21.0641	23.6848	26.1189	29.1412	31.3194
15	4.60087	5.22936	6.26212	7.26093	8.54675	22.3071	24.9958	27.4884	30.5780	32.8015
16	5.14216	5.81220	6.90766	7.96164	9.31224	23.5418	26.2962	28.8453	31.9999	34.2671
17	5.69727	6.40774	7.56418	8.67175	10.08518	24.7690	27.5871	30.1910	33.4087	35.7184
18	6.26477	7.01490	8.23074	9.39045	10.86494	25.9894	28.8693	31.5264	34.8052	37.1564
19	6.84392	7.63270	8.90651	10.11701	11.65091	27.2036	30.1435	32.8523	36.1908	38.5821
20	7.43381	8.26037	9.59077	10.85080	12.44260	28.4120	31.4104	34.1696	37.5663	39.9969
21	8.03360	8.89717	10.28291	11.59132	13.23960	29.6151	32.6706	35.4789	38.9322	41.4009
22	8.64268	9.54249	10.98233	12.33801	14.04149	30.8133	33.9245	36.7807	40.2894	42.7957
23	9.26038	10.19569	11.68853	13.09051	14.84795	32.0069	35.1725	38.0756	41.6383	44.1814
24	9.88620	10.85635	12.40115	13.84842	15.65868	33.1962	36.4150	39.3641	42.9798	45.5584
25	10.51965	11.52395	13.11971	14.61140	16.47341	34.3816	37.6525	40.6465	44.3140	46.9280
26	11.16022	12.19818	13.84388	15.37916	17.29188	35.5632	38.8851	41.9231	45.6416	48.2898
27	11.80765	12.87847	14.57337	16.15139	18.11389	36.7412	40.1133	43.1945	46.9628	49.6450
28	12.46128	13.56467	15.30785	16.92788	18.93924	37.9159	41.3372	44.4608	48.2782	50.9936
29	13.12107	14.25641	16.04705	17.70838	19.76774	39.0875	42.5569	45.7223	49.5878	52.3355
30	13.78668	14.95346	16.79076	18.49267	20.59924	40.2560	43.7730	46.9792	50.8922	53.6719
40	20.70658	22.16420	24.43306	26.50930	29.05052	51.8050	55.7585	59.3417	63.6908	66.7660
50	27.99082	29.70673	32.35738	34.76424	37.68864	63.1671	67.5048	71.4202	76.1538	79.4898
60	35.53440	37.48480	40.48171	43.18797	46.45888	74.3970	79.0820	83.2977	88.3794	91.9518
70	43.27531	45.44170	48.75754	51.73926	55.32894	85.5270	90.5313	95.0231	100.4251	104.2148
80	51.17193	53.53998	57.15315	60.39146	64.27784	96.5782	101.8795	106.6285	112.3288	116.3209
90	59.19633	61.75402	65.64659	69.12602	73.29108	107.5650	113.1452	118.1359	124.1162	128.2987
100	67.32753	70.06500	74.22188	77.92944	82.35813	118.4980	124.3221	129.5613	135.8069	140.1697