

- (8%) Two groups of people are surveyed. In a sample of 50 drivers who are single people, the drivers average 106 miles per week for pleasure trips. In a sample of 65 married people, the drivers average 68 miles per week for pleasure trips. The sample standard deviations are 15 and 9 miles, respectively. At $\alpha = 0.01$, can it be concluded that single people do more driving for pleasure trips than married people?
- (8%) A traffic safety commissioner believes the variation in the number of speeding tickets given on Freeway 1 is larger than the variation in the number of speeding tickets given on Freeway 2. Ten weeks are randomly selected; the standard deviation of the number of tickets issued for Freeway 1 is 6.3, and the standard deviation of the number of tickets issued for Freeway 2 is 2.8. At $\alpha = 0.05$, can the commissioner conclude that the variance of speeding tickets issued on Freeway 1 is greater than the variance of speeding tickets issued on Freeway 2?
- (8%) A study is done to see whether there is a relationship between a student's grade point average (GPA) and the number of hours the student studies per week. The data are shown here. Please predict the GPA of a student who studies 10 hours a week.

Hours:	3	12	9	15	5	7	16
GPA	2.1	3.5	3.0	4.0	1.7	3.2	3.7

- (10%) Students are randomly assigned to three reading classes. Each class is taught by a different method. At the end of the course, a comprehensive reading examination is given, and the results are show here. At $\alpha = 0.05$, is there significant evidence that different teaching method influencing students' reading performance?

Class A	Class B	Class C
87	82	97
92	78	90
61	41	83
83	65	92
47	63	91

考試科目

Course

統計學

經濟學系

Date,
Period

T
C


5. (8%) A mobile phone manufacturer claims that 65% of the college students have their own mobile phones. A researcher wishes to test the claim and selects a random sample of 80 college students. She finds that 57 have their own mobile phones. At $\alpha = 0.05$, should the claim be rejected?

6. (8%) A magazine article stated that the average age of men who were getting divorced for the first time was less than 40 years. A researcher decided to test this theory at $\alpha = 0.025$. She selected a sample of 20 men who were recently divorced and found that the average age was 38.6 years. The standard deviation of the sample was 4 years. Is there enough evidence to support the claim that the average age is less than 40 on the basis of the sample? Assume that the variable is approximately normally distributed.

7-3
 國立政治大學圖書館

Areas under the Normal Curve

Example:
 If $z = 1.96$, then
 $P(X \leq z) = 0.4750$



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0399	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4266	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4739	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4825	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4915
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4958	0.4959	0.4960	0.4961	0.4962	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990

Student's t Distribution



3-4

國立政治大學圖書館

df	Level of Significance for One-Tailed Test					
	0.100	0.050	0.025	0.010	0.005	0.0005
	Level of Significance for Two-Tailed Test					
	0.20	0.10	0.05	0.02	0.01	0.001
1	3.078	6.314	12.706	31.821	63.657	636.619
2	1.886	2.920	4.803	6.965	9.925	31.599
3	1.638	2.353	3.182	4.541	5.841	12.924
4	1.533	2.132	2.776	3.747	4.604	8.610
5	1.476	2.015	2.571	3.365	4.032	6.869
6	1.440	1.943	2.447	3.143	3.707	5.959
7	1.415	1.895	2.365	2.998	3.499	5.408
8	1.397	1.860	2.306	2.896	3.355	5.041
9	1.383	1.833	2.262	2.821	3.250	4.781
10	1.372	1.812	2.220	2.764	3.169	4.587
11	1.363	1.796	2.201	2.718	3.106	4.437
12	1.356	1.782	2.179	2.681	3.055	4.318
13	1.350	1.771	2.160	2.650	3.012	4.221
14	1.345	1.761	2.145	2.624	2.977	4.140
15	1.341	1.753	2.131	2.602	2.947	4.073
16	1.337	1.746	2.120	2.583	2.921	4.015
17	1.333	1.740	2.110	2.567	2.898	3.966
18	1.330	1.734	2.101	2.552	2.878	3.922
19	1.328	1.729	2.093	2.539	2.861	3.883
20	1.325	1.725	2.088	2.528	2.845	3.850
21	1.323	1.721	2.083	2.518	2.831	3.819
22	1.321	1.717	2.074	2.508	2.819	3.792
23	1.319	1.714	2.068	2.500	2.807	3.768
24	1.318	1.711	2.064	2.492	2.797	3.746
25	1.316	1.708	2.060	2.485	2.787	3.725
26	1.315	1.706	2.056	2.479	2.779	3.707
27	1.314	1.703	2.052	2.473	2.771	3.690
28	1.313	1.701	2.048	2.467	2.763	3.674
29	1.311	1.699	2.045	2.462	2.756	3.660
30	1.310	1.697	2.042	2.457	2.750	3.646
40	1.303	1.684	2.021	2.423	2.724	3.551
60	1.296	1.671	2.000	2.390	2.680	3.460
120	1.289	1.658	1.980	2.358	2.617	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.291

**Critical Values of the F Distribution
at a 5 Percent Level of Significance**

Degrees of Freedom for the Numerator

Degrees of Freedom for the Denominator	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40
1	161	200	216	225	230	234	237	239	241	242	244	246	248	249	250	251
2	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.5	19.5
3	10.1	9.59	9.29	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.72	8.69	8.64	8.62	8.60
4	7.71	6.94	6.59	6.39	6.26	6.18	6.09	6.04	6.00	5.98	5.91	5.88	5.86	5.77	5.75	5.72
5	6.01	5.72	5.41	5.19	5.05	4.95	4.89	4.82	4.77	4.74	4.68	4.62	4.59	4.51	4.50	4.46
6	5.09	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.08	4.00	3.94	3.91	3.84	3.81	3.77
7	5.58	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.01
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.92	2.88	2.83
10	4.86	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.65
11	4.84	3.86	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.86	2.79	2.72	2.66	2.61	2.57	2.53
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.76	2.69	2.62	2.54	2.51	2.47	2.43
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27
15	4.54	3.68	3.28	3.05	2.90	2.79	2.71	2.64	2.59	2.54	2.46	2.40	2.33	2.29	2.25	2.20
16	4.49	3.63	3.24	3.01	2.86	2.74	2.66	2.59	2.54	2.49	2.42	2.34	2.28	2.21	2.18	2.13
17	4.45	3.59	3.20	2.98	2.83	2.70	2.62	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10
18	4.41	3.55	3.16	2.93	2.77	2.65	2.57	2.51	2.45	2.41	2.34	2.27	2.19	2.15	2.11	2.06
19	4.38	3.52	3.13	2.90	2.74	2.62	2.54	2.48	2.42	2.38	2.31	2.23	2.17	2.11	2.07	2.01
20	4.35	3.49	3.10	2.87	2.71	2.59	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.43	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.95
22	4.30	3.44	3.05	2.82	2.66	2.55	2.47	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.99	1.94
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.31	2.27	2.20	2.12	2.05	2.01	1.96	1.91
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.35	2.30	2.25	2.18	2.11	2.03	1.99	1.94	1.89
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.73	1.68	1.63
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.56	1.50
∞	3.84	3.00	2.62	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39

