國立臺灣大學 103 學年度碩士班招生考試試題

題號: 298 科目:統計理論

節次: 2

題號: 298 共 2 頁之第 「頁

## 請詳細列出計算及推導過程,否則不予計分。題目前中括號 []內之數字為 該題配分。

## 1. [25 points] Define:

- (a) Random experiment, probability set function and random variable.
- (b) Method of least squares and method of maximum likelihood.
- (c) Sufficiency, consistency and efficiency.
- (d) Type I error, type II error and power function.
- (e) Uniformly most powerful test and likelihood ratio test.
- 2. [5 points] State the Central Limit Theorem.
- 3. [10 points] State the Rao-Blackwell Theorem.
- 4. [10 points] State the Neyman-Pearson Theorem.
- 5. [25 points] Let X and Y be independent exponential random variables, with respective pdf's

$$f(x|\lambda) = \frac{1}{\lambda}e^{-x/\lambda}, \ x > 0, \quad f(y|\mu) = \frac{1}{\mu}e^{-y/\mu}, \ y > 0$$

Instead of X and Y, we observe the random variables Z and W, where

$$Z = \min(X, Y) \text{ and } W = \begin{cases} 1 & \text{if } Z = X, \\ 0 & \text{if } Z = Y. \end{cases}$$

- (a) Find the joint distribution of Z and W.
- (b) Prove that Z and W are independent.
- (c) Assume that  $(Z_i, W_i)$ , i = 1, ..., n are n i.i.d. observations. Please find the Maximum MLEs of  $\lambda$  and  $\mu$ .
- 6. [15 points] Let  $X_1, \ldots, X_n$  be i.i.d. from Normal distribution  $N(\mu, \sigma^2)$  with unknown mean  $\mu$  and variance  $\sigma^2$ .

題號: 298 國立臺灣大學 103 學年度碩士班招生考試試題

科目:統計理論

節次: 2 共 2 頁之第 2 頁

(a) We are interested in the estimation of the percentile  $\eta$  such that  $P(X_1 \leq \eta) = p$  with a fixed  $p \in (0,1)$ . Please find the UMVUE (uniformly minimum variance unbiased estimator) for  $\eta$ .

- (b) If  $\sigma^2$  is known, please find the UMVUE of  $\mu^2$  and the Cramér-Rao Lower Bound for the variance of unbiased estimator of  $\mu^2$ .
- 7. [10 points] Let  $X_1, \ldots, X_n$  be i.i.d. from the Uniform distribution  $U(\theta, \theta + 1)$ ,  $\theta \in R$ . Suppose that  $n \geq 2$ . Show that a UMP (uniformly most powerful) test of size  $\alpha$  for testing  $H_0: \theta \leq 0$  versus  $H_1: \theta > 0$  is of the form

$$T(X_{(1)}, X_{(n)}) = \begin{cases} 0 & \text{if } X_{(1)} < 1 - \alpha^{1/n} \text{ and } X_{(n)} < 1, \\ 1 & \text{otherwise.} \end{cases}$$

試題隨卷繳回