第/頁,共4頁

考試科目生物化學所別神經科學研究所考試時間 3月7日(月)第1節

A. Single-Choice Questions (3 points for each)

- 1. The free energy (ΔG) in a reaction is a measure of the
 - a. work that can be performed
 - b. increase in energy generation
 - c. rate of the reaction
 - d. work that is performed
 - e. heat generated
- 2. Which of the following amino acids contain a -S-CH₃ group
 - a. cysteine
 - b. tyrosine
 - c. histidine
 - d. methionine
 - e. serine
- 3. In myoglobin and hemoglobin, oxygen binds directly to
 - a. Fe²⁺ in the heme
 - b. Fe³⁺ in the heme
 - c. Fe⁴⁺ in the heme
 - d. the proximal histidine
 - e, the distal histidine
- 4. Which of the following statements about introns in pre-mRNA is true
 - a. the size is less than 1000 nucleotides
 - b. they are found in all prokaryotic and eukaryotic genes
 - c. they have consensus sequences located at the junctions with the exons
 - d. they are removed from all expressed genes
 - e. they are removed in the cytosol before translation
- 5. During DNA synthesis which enzyme includes an associated RNA that can act as a template?
 - a. RNase H

第2頁,共4頁

8151 試 科 目 生物化學 所 別神經科學研究所 考試時間 3月7日(日)第1節 b. Telomerase c. Nucleotidyl transferase d. DNA ligase e. Reverse transcriptase 6. Which of the following biomolecules does not normally exist in biological membranes? a. Protein b. Lipid c. Nucleic acid d. Carbohydrate 7. What is the pH of a 0.1 mM solution of HCl? a. 4 b. 6 c. 7 d. 8 e. 11 8. TCA cycle activity is usually regulated by what ratio in most tissues? a. DNA/RNA b. ADP/ATP c. GDP/GTP d. Amino acid/glucose e. NAD+/NADH 9. In resting muscle, which of the following molecules is the most important allosteric inhibitor of glycolysis? a. AMP b. ATP c. Ca²⁺ d. GDP e. Fructose 2,6 bisphosphate

考試科目生物化學 所別神經科學研究所 考試時間 3月7日(月)第1節

- 10. The LDL receptor binds with highest affinity to
 - a. Apo A-IV
 - b. Apo B-100
 - c. Apo C-I
 - d. Apo C-III
 - e. Apo D

B. Essay Questions

11. A scientist discovered a new enzyme and tried to purify it. Below is a purification table he generated.

Procedure	Total protein (mg)	Activity (units)
Crude extract	30,000	6,000,000
2. Preciptation (pH)	7,500	4,500,000
3. Preciptation (salt)	6,000	1,500,000
4. Ion-exchange chromatography	400	1,600,000
5. Size-exclusion chromatography	100	1,500,000
6. Affinity chromatography	90	1,350,000

- (a) What is the specific activity the enzyme solution after each purification procedure? (12 points)
- (b) Which of the purification procedures for this enzyme is most effective? (2 points)
- (c) What else can be done to purify this enzyme and estimate the molecular weight? (8 points)
- 12. A student has isolated two DNA samples from two unidentified species of bacteria, X and Y. He found "adenine" makes up 36% and 16% of the total bases in X and Y respectively.
- (a) Base on what assumption you think the relative proportions of adenine, guanine, thymine, and cytosine in X and Y are? (12 points)
- (b) One of these species was isolated from a hot spring (65°C). Which one would you suggest? (2 points) Why? (4 points)
- 13. Mitochondria generate most of the cell's supply of ATP.
- (a) Please explain the Q cycle of the electron transport chain. (10 points)
- (b) Please describe the binding-change mechanism of ATP synthase. (10 points)

第4頁,共4頁

考試科目生物化學 所別神經科學研究所考試時間 3月7日(月)第1節

14. Please describe how to prepare 100ml of 5mM glutamate solution (pH=7.4). The molecular formula of glutamate is C₅H₉NO₄ (10 points)

